# Datenblatt/datasheet







Artikelnummer/Itemnumber: 3B20-A


Tarifnummer Export: 73269098 | Frachtkategorie: A

Bauzaunaufsatz für Zurrgurte

Mobile fence too for lashing straps







## **Artikelbeschreibung:**

Bauzaunaufsatz für Zurrgurte durch aufsetzten ist ein sicherer Transport garantiert, Zurrgurte und Bauzäune werden durch den Aufsatz vor Schäden geschützt Blechstärke: 2,5 mm Ausführung: verzinkt

## Verwendungszweck:

Für den Einsatz bei Absperrarbeiten.

#### **Technische Daten:**

Gewicht: 1,00 kg/St

Material: S235 JR

Oberfläche:

Feuerverzinkung nach DIN ISO 1461

## item description:

Construction fence attachment for lashing straps safe transport is guaranteed by attaching, lashing straps and

fences are protected by the attachment from damage Sheet thickness: 2.5 mm

Finish: galvanised

#### designated purpose:

For the application in setting up temporary barriers.

### technical specifications:

weight: 1,00 kg/pc

material: S235 JR

surface:

hot dipped galvanized acc. to DIN ISO 1461

<sup>\*</sup>Alle Angaben sind Richtwerte (teilweise mit branchenüblichen Rundungen zum besseren Verständnis) und dienen leidglich zum Produktverständnis, nicht aber als Basis zum Bau von Zubehörteilen, Lagergestellen, Adaptierungen, Kombinationsprodukten oä. Alle Angaben sind ohne Gewähr, für evtl. Fehler und resultierende Folgen übernehmen wir keine Verantwortung.
\*All data are approximate values (partly with industry-standard rounding for better understanding) and serve only for product understanding, but not as a basis for the design of accessories, storage solutions, adaptations, combination products or the like. All information is without guarantee, for possible errors and resulting consequences we assume no responsibility.